




COD 050

LISTINO CONDOTTE CIRCOLARI 2024



TS Tubo spiroidale

	<i>TS</i>
<i>D.</i>	<i>€/ML</i>
<i>100</i>	<i>11,0</i>
<i>125</i>	<i>13,7</i>
<i>150</i>	<i>16,5</i>
<i>160</i>	<i>17,5</i>
<i>200</i>	<i>21,9</i>
<i>250</i>	<i>27,4</i>
<i>300</i>	<i>32,8</i>
<i>315</i>	<i>41,4</i>
<i>355</i>	<i>46,7</i>
<i>400</i>	<i>52,5</i>
<i>450</i>	<i>62,7</i>
<i>500</i>	<i>69,7</i>
<i>550</i>	<i>76,6</i>
<i>600</i>	<i>95,0</i>
<i>650</i>	<i>102,9</i>
<i>700</i>	<i>111,1</i>
<i>750</i>	<i>118,7</i>
<i>800</i>	<i>126,6</i>
<i>850</i>	<i>177,0</i>
<i>900</i>	<i>187,4</i>
<i>950</i>	<i>197,1</i>
<i>1000</i>	<i>208,3</i>



Lunghezze standart L 2500

Curve



	BS9	BS4
D.	90°	45°
100	12,6	10,7
125	13,7	12,5
150	19,0	13,7
160	21,2	18,5
200	29,2	19,8
250	43,5	32,6
300	58,0	38,4
315	60,3	38,8
355	74,9	48,9
400	84,5	57,2
450	106,8	63,7
500	129,7	73,4
550	159,0	93,4
600	187,3	109,3
650	217,5	126,5
700	251,0	145,6
750	308,2	182,9
800	348,6	205,9
850	391,5	230,4
900	436,9	254,3
950	484,7	283,6
1000	535,0	312,2

Le curve dal 100 al 200 sono stampate

Manicotti



<i>D.</i>	<i>MM</i>	<i>MF</i>	<i>MCM</i> <i>MCF</i>	<i>MCFL</i>
100	5,2	5,2	6,0	12,4
125	5,9	5,9	6,6	13,6
150	6,0	6,0	7,1	14,7
160	6,4	6,4	7,1	14,8
200	8,1	8,1	7,7	16,1
250	9,9	9,9	9,7	20,3
300	14,3	14,3	11,7	24,3
315	14,4	14,4	13,6	25,0
355	18,9	18,9	16,9	26,5
400	19,9	19,9	18,0	28,2
450	22,4	22,4	20,3	31,8
500	29,1	29,1	22,7	35,6
550	33,6	33,6	32,1	50,2
600	36,9	36,9	33,9	53,0
650	40,0	40,0	35,5	55,5
700	43,0	43,0	41,8	65,4
750	46,1	46,1	48,6	76,0
800	59,3	59,3	54,3	85,0
850	63,0	63,0	59,5	93,1
900	66,7	66,7	65,1	102,0
950	70,4	70,4	71,3	111,7
1000	74,2	74,2	79,6	124,7

MM = manicotto maschio maschio
MF = manicotto femmina femmina
MCM = manicotto cartellato maschio
MCF = manicotto cartellato femmina
MCFL = manicotto cartellato per flessibile

Riduzioni

RID	€
125/100	13,6
150/100	18,9
150/125	18,0
160/100	21,4
160/125	19,7
160/150	21,5
200/100	22,6
200/125	22,0
200/150	21,9
200/160	21,8
250/125	24,3
250/150	24,3
250/160	24,4
250/200	21,7
300/150	32,5
300/160	34,4
300/200	31,4
300/250	27,1
355/200	41,9
355/250	35,2
355/300	32,7
400/200	50,3
400/250	49,0
400/300	46,5
400/355	37,2
450/200	56,8
450/250	55,5
450/300	53,2
450/400	46,2
500/250	70,2
500/300	68,3
500/350	65,9
500/400	62,7
500/450	50,9
550/250	82,7
550/300	80,9
550/355	78,4
550/400	74,9
550/450	70,9
550/500	66,3
600/300	96,4
600/355	94,8
600/400	92,1
600/450	88,1
600/500	83,7
600/550	69,9

RID	€
650/300	122,4
650/355	120,0
650/400	117,1
650/450	112,9
650/500	108,2
650/550	102,8
650/600	96,1
700/300	137,4
700/355	134,5
700/400	131,8
700/450	127,9
700/500	122,5
700/550	117,1
700/600	110,9
700/650	103,4
750/300	151,3
750/355	149,1
750/400	146,7
750/450	141,7
750/500	137,5
750/550	131,6
750/600	125,6
750/650	118,3
750/700	122,2
800/300	168,0
800/355	165,5
800/400	159,2
800/450	157,3
800/500	151,3
800/550	146,6
800/600	140,7
800/650	136,2
800/700	126,1
800/750	130,1
850/400	198,1
850/450	195,7
850/500	190,9
850/550	187,1
850/600	181,2
850/650	174,5
850/700	168,3
850/750	160,0
850/800	150,8
900/400	215,8
900/450	212,6
900/500	208,2

RID	€
900/550	203,9
900/600	197,8
900/650	192,3
900/700	185,2
900/750	177,4
900/800	169,0
900/850	159,8
950/450	242,1
950/500	238,5
950/550	233,6
950/600	228,5
950/650	223,3
950/700	273,5
950/750	209,1
950/800	201,1
950/850	192,4
950/900	183,1
1000/450	256,8
1000/500	252,3
1000/550	249,9
1000/600	244,2
1000/650	280,0
1000/700	231,7
1000/750	224,7
1000/800	217,0
1000/850	207,5
1000/900	198,0
1000/950	187,6



RID = riduzione centrale

**RIDP = riduzione con piano
aumento 20%**



Tappi



D.	TAP	TAPR	GCAM
100	8,7	16,7	28,0
125	8,7	18,0	33,5
150	8,9	20,9	40,0
160	8,9	21,9	43,4
200	10,5	26,3	55,0
250	18,3	34,0	61,8
300	19,3	41,8	-
315	25,2	44,3	98,8
355	32,3	47,0	-
400	33,6	57,8	183,4
450	35,7	64,4	
500	41,0	71,9	
550	55,3	77,8	
600	60,3	91,1	
650	80,8		
700	101,7		
750	113,5		
800	96,5		
850	105,7		
900	115,7		
950	126,5		
1000	145,8		

TAP = tappo

TAPR = tappo con rete

GCAM = griglia alluminio circolare con rete

Tee




D.	T9	T4
100	20,4	53,4
125	20,8	55,1
150	27,1	56,8
160	28,5	58,5
200	35,2	65,1
250	53,8	73,5
300	76,7	80,2
315	95,4	81,8
355	93,5	89,1
400	108,0	95,7
450	131,4	114,4
500	170,8	133,1
550	190,5	145,2
600	221,0	168,3
650	244,0	176,0
700	275,5	194,7
750	303,2	212,3
800	367,2	238,7
850	422,5	275,0
900	486,2	324,5
950	539,1	372,9
1000	601,7	438,9

T9 = tee a 90°

T4 = tee a 45°

Riduzione quadro tondo RQT



Lato maggiore sezione quadrangolare B x H

D.	100	150	200	250	300	350	400	450
100	50	52	54					
125	54	55	56					
150	60	61	64	66	68			
160	60	61	64	66	68			
200	66	67	70	72	74	80	83	
250		73	74	78	80	86	90	101
300		88	89	91	94	101	104	108
315			98	98	100	108	112	115
355			110	112	115	119	122	127
400			131	132	134	139	142	149
450				154	156	160	164	168
500				180	182	185	191	194
550					200	204	206	211
600					223	226	229	233
650						260	264	269
700						284	288	293
750							340	344
800							388	391
850								433
900								469

Lato maggiore sezione quadrangolare B x H

D.	500	550	600	650	700	750	800	850
250	110							
300	127	154	167					
315	130	156	168					
355	131	160	173	247	262			
400	152	164	178	251	269	312	346	0
450	172	180	185	259	276	318	352	396
500	198	206	214	266	284	328	354	404
550	218	222	227	275	293	335	362	415
600	242	246	251	283	300	343	372	425
650	276	281	287	298	311	353	382	434
700	300	306	311	322	335	362	391	444
750	354	276	366	378	384	388	404	455
800	401	406	412	427	433	437	454	466
850	439	444	449	461	467	469	497	505
900	474	479	486	497	503	505	534	542

Riduzione quadro tondo RQT





	<i>Lato maggiore sezione quadrangolare Bx H</i>		
<i>D.</i>	<i>900</i>	<i>950</i>	<i>1000</i>
<i>450</i>	<i>418</i>		
<i>500</i>	<i>427</i>	<i>482</i>	<i>506</i>
<i>550</i>	<i>438</i>	<i>493</i>	<i>517</i>
<i>600</i>	<i>446</i>	<i>502</i>	<i>528</i>
<i>650</i>	<i>456</i>	<i>514</i>	<i>538</i>
<i>700</i>	<i>467</i>	<i>523</i>	<i>548</i>
<i>750</i>	<i>476</i>	<i>536</i>	<i>559</i>
<i>800</i>	<i>487</i>	<i>547</i>	<i>571</i>
<i>850</i>	<i>514</i>	<i>559</i>	<i>583</i>
<i>900</i>	<i>551</i>	<i>559</i>	<i>592</i>
<i>950</i>	<i>598</i>	<i>614</i>	<i>636</i>
<i>1000</i>	<i>649</i>	<i>667</i>	<i>686</i>

Stacchi a sella



<i>misura</i>	<i>PS9</i>	<i>PS4</i>
$\varnothing A / \varnothing B$	€	€
100/100	8,4	14,8
125/100	8,4	14,8
140..160/100	8,4	14,8
180..200/100	8,4	14,8
250..315/100	8,4	14,8
355..500/100	8,4	14,8
125/125	9,8	15,9
140..160/125	9,8	15,9
180..200/125	9,8	15,9
250..315/125	9,8	15,9
355..450/125	9,8	15,9
150/150	12,7	17,0
180..200/150	12,7	17,0
250/150	12,7	17,0
300..315/150	12,7	17,0
355..400/150	12,7	17,0
160/160	13,7	17,0
180..200/160	13,7	17,0
250..315/160	13,7	17,0
355..450/160	13,7	17,0
600..630/160	13,7	17,0
200..200	18,7	24,3
250..315/200	18,7	24,3
355..450/200	18,7	24,3
500..560/200	18,7	24,3
250/250	22,7	32,1
300..315/250	22,7	33,5
355..400/250	22,7	34,9
500..650/250	22,7	36,3
315..30/300	34,5	41,9
355..400/300	34,5	41,9
450..630/300	34,5	41,9
315/315	36,8	41,9
400/315	39,1	41,9
450..560/315	41,4	41,9
600..630/315	43,7	41,9



PS9 = stacco a sella a 90°

PS4 = stacco a sella 45°

Piastra con manicotto



D.	MCM MCF	MCFL
100	6,0	12,4
125	6,6	13,6
150	7,1	14,7
160	7,1	14,8
200	7,7	16,1
250	9,7	20,3
300	11,7	24,3
315	13,6	25,0
355	16,9	26,5
400	18,0	28,2
450	20,3	31,8
500	22,7	35,6
550	32,1	50,2
600	33,9	53,0
650	35,5	55,5
700	41,8	65,4
750	48,6	76,0
800	54,3	85,0
850	59,5	93,1
900	65,1	102,0
950	71,3	111,7
1000	79,6	124,7

PIASTRA CON FORO	€
150x150	7,3
200x200	13,0
250x250	20,3
300x300	29,3
350x350	29,6
400x400	38,6
450x450	48,9
500x500	60,4
550x550	61,9
600x600	73,7
650x650	86,5
700x700	100,3

MCM = manicotto cartellato maschio
MCF = manicotto cartellato femmina
MCFL = manicotto cartellato per flessibile

Esempio

Piastra 200x200 con manicotto MCM 150 = 13+7,1= 20,1 €

Braga a 45°



<i>D.</i>	<i>Y</i>
<i>100</i>	<i>46,1</i>
<i>125</i>	<i>49,9</i>
<i>150</i>	<i>51,4</i>
<i>160</i>	<i>54,0</i>
<i>200</i>	<i>59,5</i>
<i>250</i>	<i>64,1</i>
<i>300</i>	<i>74,5</i>
<i>315</i>	<i>77,4</i>

Serranda



<i>D.</i>	<i>SER</i>
<i>100</i>	<i>24,6</i>
<i>125</i>	<i>27,1</i>
<i>150</i>	<i>30,1</i>
<i>160</i>	<i>30,1</i>
<i>200</i>	<i>32,9</i>
<i>250</i>	<i>38,8</i>
<i>300</i>	<i>41,5</i>
<i>315</i>	<i>41,5</i>
<i>355</i>	<i>49,0</i>
<i>400</i>	<i>78,2</i>
<i>450</i>	<i>82,8</i>
<i>500</i>	<i>85,2</i>

Terminale con rete



<i>D.</i>	<i>BDL</i>
<i>100</i>	<i>36,0</i>
<i>125</i>	<i>38,4</i>
<i>150</i>	<i>41,8</i>
<i>160</i>	<i>42,3</i>
<i>200</i>	<i>47,3</i>
<i>250</i>	<i>52,7</i>
<i>300</i>	<i>59,0</i>
<i>315</i>	<i>66,3</i>
<i>355</i>	<i>89,5</i>
<i>400</i>	<i>101,6</i>
<i>450</i>	<i>121,5</i>
<i>500</i>	<i>128,9</i>
<i>550</i>	<i>149,3</i>
<i>600</i>	<i>169,1</i>
<i>650</i>	<i>209,1</i>
<i>700</i>	<i>232,4</i>
<i>750</i>	<i>266,4</i>
<i>800</i>	<i>291,7</i>
<i>850</i>	<i>309,7</i>
<i>900</i>	<i>328,6</i>
<i>950</i>	<i>348,4</i>
<i>1000</i>	<i>369,2</i>

Collari



<i>D.</i>	<i>COL</i>
100	7,7
125	7,9
150	9,5
160	9,5
200	11,4
250	12,0
300	14,4
315	13,2
355	16,4
400	18,2
450	23,5
500	25,5

<i>D.</i>	<i>COLS</i>
550	13,3
600	14,4
650	15,5
700	16,6
750	17,7
800	18,8
850	20,0
900	21,0
950	22,1
1000	23,3

COL = lamiera zincata, a due pezzi con dado M8/M10.

COLS = lamiera zincata, un pezzo senza dado



	€
<i>Collare rapido universale per canali 80..355</i>	16
<i>Collare rapido universale per canali 400..710</i>	24

- Carico massimo di lavoro 75 kg, coefficiente di sicurezza 3:1